

GOLD fren

®



WIELK.
42.500.000004

MTB / ROAD

Disc Brake Pads

PŁOCHA 484.52 MM*2
OCCHA 7 458.32 MM*2

MODEL:
SCRIMANO new Sprint

OTVOR PRO ČEP (MUSÍ ZŮSTAT VOLNÝ DO HL. OUBĚ 0.1mm.)

Sintered MTB Brake Pads with high braking effectivity and temperature stability 800° C

GF-803

AD DS SW33



Magura Louise-2003/Clara 2000

22,6 × 33,35 × 3,9

GF-804

AD DS SW33



Magura Clara 2001/Louise- fr

43,1 × 24,9 × 4

GF-807

AD DS SW33




Shimano XT
Hydraulic Caliper
& Grimeca System

37 × 25,2 × 3,6

GF-808

AD DS SW33




Hayes (Mechanical & Hydraulic)

A/B: 31,9 × 32,5 × 3,9

GF-809

AD DS SW33



A+B Grimeca Hydraulic Caliper
A+B Grimeca Mechanical Caliper

A: 29 × 40 × 3,9
B: 35,1 × 31,5 × 3,9

GF-810

AD DS SW33




Tektro Gemini/Novela

25,4 × 37,3 × 3,9

GF-811

AD DS SW33




Magura Gustav M 2004

A/B: 70 × 25,4 × 3,5

GF-813

AD DS SW33



Shimano Deore/BR-M5 15 Mechanical
M475/C601, 501 BR 525 - Hydraulic
Shimano BR-M445/446

30,75 × 35,1 × 3,9

GF-814

AD DS SW33



RST Mechanical Caliper

24,8 × 37,22 × 4

GF-815

AD DS SW33




Cannondale (Coda) Caliper

30,6 × 30,6 × 4

GF-816

AD DS SW33




Shimano Deore/BR-901C
Naxave BR-M555 Hydraulic

A/B: 29,1 × 26,18 × 4

GF-818

AD DS SW33




Magura Julie

47,1 × 28,85 × 4

GF-819

AD DS SW33




Formula B4 Hydraulic

A/B: 43,19 × 25 × 3,9

GF-820

AD DS SW33




Magura Marta, Marta SL

A/B: 38,8 × 21,32 × 3,9

Sintered MTB Brake Pads with high braking effectivity and temperature stability 800° C

GF-822

AD DS SW33



Shimano XTR BR-M965/M966
XT M765 LX-BR585, Hone M601
Shimano Deore XT BR-M775

A/B: 34,3 × 26,74 × 3,9

GF-823

AD DS SW33




Hope Mini

26,7 × 31,15 × 3,9

GF-824

AD DS SW33



Giant MPH 2001 - 2005

A/B: 25,2 × 31,15 × 3,9

GF-825

AD DS SW33



1 set = 4 pcs

Hope M4

19,95 × 27,8 × 4,3

GF-827

AD DS SW33



Hope Mono 6ti

43,5 × 26,35 × 3,8

GF-828

AD DS SW33



Hope Mono Mini

29,9 × 27,64 × 3,8

GF-829

AD DS SW33




Hayes El Camino

A/B: 26,5 × 32,45 × 3,8

GF-830

AD DS SW33



Diatech Anchor/Armor

A/B: 31,9 × 40,5 × 3,9

GF-831

AD DS SW33



Hope 2 piston

25,2 × 31,15 × 4

GF-832

AD DS SW33




Hayes MX 2/Sole

20,5 × 28,55 × 4

GF-833

AD DS SW33



Promax Mechanical

A: 24,9 × 34,4 × 5,4
B: 24,9 × 34,4 × 3,9

GF-834

AD DS SW33



Formula Oro Hydraulic

27 × 34 × 3,9

GF-835

AD DS SW33




Avid BB5 Mechanical

∅ 23,8 × 37 × 3,9

GF-836

AD DS SW33



Avid mech. BB7 juicy
5 - 7 Hydraulic

A/B: 31,9 × 35,15 × 4

Sintered MTB Brake Pads with high braking effectivity and temperature stability 800° C

GF-837

AD DS SW33



Avid Code 4-piston

41,1 × 34,9 × 4

GF-838

AD DS SW33




Hayes Ryde

A/B: 26,95 × 27,22 × 4

GF-839

AD DS SW33




Hayes Stroker Trail

A/B: 31,8 × 27,7 × 4

GF-840

AD DS SW33



Magura Louise 2007

A/B: 41,2 × 25,95 × 3,9

GF-841

AD DS SW33




Formula Mag & The One

28,1 × 33,37 × 4

GF-842

AD DS SW33



Hope Moto V2

26,95 × 36,1 × 4

GF-843

AD DS SW33




Avid Elixir

29,8 × 34,3 × 3,9

GF-844

AD DS SW33



Hayes Stroker Ace

A/B: 40,45 × 23,85 × 3,9

GF-846

AD DS SW33



Shimano Saint 2009

39,4 × 24,45 × 3,9

GF-847

AD DS SW33



Avid Code - R

40,8 × 28,3 × 3,9

GF-848

AD DS SW33




Shimano XTR 2011
Shimano M985

32,3 × 29,7 × 3,9

GF-849

AD DS SW33




SR Suntour Hydraulic

23 × 28,2 × 4

GF-850

AD DS SW33




Magura 2011
MT2/ MT4/ MT6/ MT8

29,8 × 33,8 × 3,9

GF-851

AD DS SW33



Hope Mono Trail

27 × 34,5 × 3,9

Sintered MTB Brake Pads with high braking effectivity and temperature stability 800° C

GF-852

AD DS SW33




Hayes Prime

31,85 × 34,1 × 4

GF-853

AD DS SW33



Hope XC 4-piston w/ pin & spring

40,5 × 23 × 4,4

GF-854

AD DS SW33



Avid XO trail 4-piston

37,7 × 24,3 × 3,9

GF-855

AD DS SW33



Hope Mono X2

26,65 × 31 × 3,9

GF-856

AD DS SW33



Avid Road hydraulic

A/B: 29,9 × 24,4 × 3,9

GF-857

AD DS SW33



Hope Moto V4

40 × 22,5 × 3,9

GF-858

AD DS SW33



Tektro Dorado e-bike

38,2 × 35,7 × 3,9

GF-859

AD DS SW33



Magura MT5

43,6 × 29,2 × 3,4

GF-860

AD DS SW33



1 set = 4 pcs
Magura MT7

18,9 × 29,7 × 3,6

GF-861

AD DS SW33



Shimano Direct-Mount R9170/
U5000/RS805/505/R405F/
R405R/RS305R/RS305F

26 × 29,8 × 4

GF-862

AD DS SW33




HOPE TECH 3 E4 / Stealth race E4 /
Mono M4 / TECH M4

36,9 × 26 × 4

GF-863

AD DS SW33



Avid DB1 Hydraulic

29,8 × 31,1 × 4

GF-865

AD DS SW33



HAYES DOMINION A4

43,2 × 30,7 × 3,95

GF-866

AD DS SW33



FORMULA CURA 4

43,9 × 24,7 × 3,95


Sintered MTB Brake Pads with high braking effectivity and temperature stability 800° C

GF-867

AD

DS

SW33



APSE ARTEK ASSESS
ADC-03 A-Solex
ADC-04


A/B: 37,4 × 21,1 × 3,9

GF-869

AD

DS

SW33



SRAM Maven

46,7 × 35,8 × 3,8

GF-870

AD

DS

SW33



MAGURA MT A2

31,4 × 34,3 × 3

GF-871

AD

DS

SW33



Campagnolo Super Record EPS

29,8 × 33,85 × 4

DISTRIBUIDO POR
SPORTMED
(BASTOS MEDICAL SL)
C/ Collserola 4
08242 Sant Fruitós de Bages
938276811
www.sportmed.es

It is commonly known fact that sintered brake pads have much longer life than organic materials brake pads. Sintered brake pads consist of braking plate with galvanized surface finish and braking compound with main proportion of copper additives.

GOLDfren brake pads are made in Europe, their quality is very high and their price is very good. GOLDfren brake pads are used as spare parts for the best MTB brands worldwide. They can be used for both racing and everyday use. They are the best choice.

We can also supply springs and pins on demand.

GOLDfren MTB brake pads have been manufactured since 2003 and selecting the right compound for your needs is very important.

GOLDfren offers three sintered compounds: AD, DS and SW33.


Dimensions: width × height × thickness (mm)

The production, development and sale of brake pads and brake components is certified according to the standard ČSN EN ISO 9001:2016.

Comparison table

Type	A2Z	EBC
801		CFA247A, CFA247B
802		
803		CFA286
804		CFA326
805		
806		
807	600 / 006	CFA310
808	AZ - 200	CFA277
809		CFA311
810	AZ - 700	CFA330
811	AZ - 120	CFA280
812		
813	620 / 008	CFA327
814		CFA288
815		CFA284A
816	AZ - 510	CFA329
817	AZ - 270	CFA309
818	AZ - 130	CFA331
819	AZ - 310	CFA325
820	AZ - 140	CFA360
821		
822	AZ - 630	CFA370
823	AZ - 550	CFA318
824		CFA338
825	AZ - 530	
827	AZ - 520	CFA385
828	AZ - 510	CFA386
829	AZ - 231	CFA404
830	AZ - 740	CFA364
831	AZ - 500	CFA333
832	AZ - 220	CFA421
833	AZ - 720	CFA378
834	AZ - 320	CFA402
835	AZ - 280	CFA439
836	AZ - 290	CFA394

Type	A2Z	EBC
837	AZ - 295	CFA440
838	AZ - 260	CFA838
839	AZ - 250	CFA467
840	AZ - 150	CFA449
841	AZ - 330	CFA470
842	AZ - 580	CFA469
843	AZ - 296	CFA472
844	AZ - 241	CFA494
845		
846	AZ - 640	CFA493
847	AZ - 294	CFA616
848	AZ - 635	CFA614
849	AZ - 730	CFA341
850	AZ - 160	CFA619
851	AZ - 570	CFA422
852	AZ - 261	CFA620
853	AZ - 540	CFA300
854	AZ - 293	CFA633
855		CFA487
856	AZ - 297	CFA667
857	AZ - 585	CFA639
858	AZ - 705	CFA695
859	AZ - 175	CFA689
860	AZ - 170	CFA660/4
861	AZ - 625	CFA734
862	AZ - 586	CFA647
863	AZ - 298	CFA770
865	AZ - 240	CFA736
866	AZ - 340	CFA735
867		CFA688
868		
869	AZ - 299	
870	AZ - 180	
871	AZ - 190	




OTVOR PRO CEP (MUSI ZUSTAT VOLNY DO HLBOKY 0.7mm !)

MODEL: SHIMANO New Social

Distributed by

SPORTMED
(BASTOS MEDICAL SL)
C/ Collserola 4
08242 Sant Fruitós de Bages
938276811
www.sportmed.es



EUROPEAN UNION
European Regional Development Fund
Operational Programme Enterprise
and Innovations for Competitiveness

GOLD FREN s.r.o.
Poběžovice 29, 534 01 Holic, Czech Republic
Tel.: +420 466 682 065
Tel.: +420 466 009 452
E-mail: goldfren@goldfren.com